

ACUPUNCTURE AND CHRONIC FATIGUE SYNDROME

About chronic fatigue syndrome

Chronic fatigue syndrome is characterised by severe, disabling fatigue, and other symptoms such as musculoskeletal pain, sleep disturbance, impaired concentration and headaches (Reid 2007). The prevalence of chronic fatigue syndrome has been estimated to be from 0.007% to 2.8% in the general adult population, and from 0.006% to 3.0% in primary care, depending on the criteria used (Afari 2003). Chronic fatigue syndrome imposes substantial economic costs on society, mainly in terms of informal care costs and lost employment (McCrone 2003).

The cause of the syndrome remains poorly understood, but hypotheses include endocrine and immunological abnormalities, autonomic nervous system dysfunction, abnormal pain processing and certain infectious illnesses, such as Epstein–Barr virus and viral meningitis (Gur 2008, White 2001). People who have had a prior psychiatric disorder are nearly three times more likely to have chronic fatigue syndrome later in life than those who have not (Harvey 2008).

Prognosis is poor, with only around 5% of adults returning to pre-syndrome levels of functioning (Cairns 2005). Aims of treatment are to reduce levels of fatigue and associated symptoms, to increase levels of activity, and to improve quality of life. Conventional approaches include graded exercise therapy, cognitive behavioural therapy (CBT) and antidepressant drugs (DTB 2001).

References

Afari N, Buchwald D. Chronic fatigue syndrome: a review. Am J Psychiatry 2003;160:221-36.

Cairns R, Hotopf M. A systematic review describing the prognosis of chronic fatigue syndrome. Occup Med (Oxford) 2005;55:20–31.

Gur A. Oktayoglu P. Central nervous system abnormalities in fibromyalgia and chronic fatigue syndrome: New concepts in treatment. *Current Pharmaceutical Design* 2008; 14: 1274-94.

Harvey SB et al. The relationship between prior psychiatric disorder and chronic fatigue: evidence from a national birth cohort study. *Psychol Med* 2008;38:933–40.

Reid S et al. Chronic fatigue syndrome. BMJ Clinical Evidence. Search date September 2007.

What to do about medically unexplained symptoms. DTB 2001; 39: 5-8.

White P et al. Predictions and associations of fatigue syndromes and mood disorders that occur after infectious mononucleosis. *Lancet* 2001;358:1946–54.

McCrone P et al. The economic cost of chronic fatigue and chronic syndrome in UK primary care. *Psychological Medicine* 2003; 33: 253-61.

How acupuncture can help

There are consistent positive results from observational studies (Wang 2008, Huang 2008, Guo 2007), but very few randomised controlled trials as yet (Wang 2009a, 2009b; Yiu 2007; Li 2006) (see Table overleaf). In the meantime, given the often unsatisfactory outcomes from conventional treatments, acupuncture may be a worthwhile option to consider, probably as part of a combined approach. There is evidence to support its effectiveness for some of the common symptoms – chronic pain, insomnia, depression (refer to the relevant Fact Sheets for details), but for chronic fatigue syndrome as a whole there is a need for more, and higher quality, research.

In general, acupuncture is believed to stimulate the nervous system and cause the release of neurotransmitters. Stimulation of certain acupuncture points has been shown to affect areas of the brain that are known to reduce sensitivity to pain and stress, as well as promoting relaxation and deactivating the 'analytical' brain, which is responsible for insomnia (Wu 1999).

Acupuncture may help to relieve symptoms of chronic fatigue syndrome such as musculoskeletal pain, headache, sleep problems, tiredness and depression by:

- stimulating nerves located in muscles and other tissues, which leads to release of endorphins and other neurohumoral factors, and changes the processing of pain in the brain and spinal cord (Pomeranz 1987, Zhao 2008).
- stimulating opiodergic neurons to increase the concentrations of beta-endorphin, so relieving pain (Cheng 2009).
- reducing inflammation, by promoting release of vascular and immunomodulatory factors (Kavoussi 2007, Zijlstra 2003).
- improving muscle stiffness and joint mobility by increasing local microcirculation (Komori 2009), which can reduce swelling and pain.
- reducing insomnia through increasing nocturnal endogenous melatonin secretion (Spence 2004).

About traditional acupuncture

Acupuncture is a tried and tested system of traditional medicine, which has been used in China and other eastern cultures for thousands of years to restore, promote and maintain good health. Its benefits are now widely acknowledged all over the world, and in the past decade traditional acupuncture has begun to feature more prominently in mainstream healthcare in the UK. In conjunction with needling, the practitioner may use techniques such as moxibustion, cupping, massage or electroacupuncture. They may also suggest dietary or lifestyle changes.

Traditional acupuncture takes a holistic approach to health and regards illness as a sign that the body is out of balance. The exact pattern and degree of imbalance is unique to each individual. The traditional acupuncturist's skill lies in identifying the precise nature of the underlying disharmony and selecting the most effective treatment. The choice of acupuncture points will be specific to each patient's needs. Traditional acupuncture can also be used as a preventive measure to strengthen the constitution and promote general wellbeing.

An increasing weight of evidence from Western scientific research (see overleaf) is demonstrating the effectiveness of acupuncture for treating a wide variety of conditions. From a biomedical viewpoint, acupuncture is believed to stimulate the nervous system, influencing the production of the body's communication substances - hormones and neurotransmitters. The resulting biochemical changes activate the body's self-regulating homeostatic systems, stimulating its natural healing abilities and promoting physical and emotional wellbeing

About the British Acupuncture Council

With over 3000 members, the British Acupuncture Council (BAcC) is the UK's largest professional body for traditional acupuncturists. Membership of the BAcC guarantees excellence in training, safe practice and professional conduct. To find a qualified traditional acupuncturist, contact the BAcC on 020 8735 0400 or visit www.acupuncture.org.uk

ACUPUNCTURE AND CHRONIC FATIGUE SYNDROME

The evidence

Research	Conclusion
Systematic Review	
Wang T et al. A systematic review of acupuncture and moxibustion treatment for chronic fatigue syndrome in China. <i>American Journal of Chinese Medicine</i> 2008; 36:1-24.	A systematic review of studies on the treatment of chronic fatigue syndrome with acupuncture and moxibustion in China. All studies concluded that acupuncture treatment is effective, with response rates ranging from 78.95% to 100%. However, the qualities of the studies were generally poor, and none of them were randomised controlled trials.
Clinical studies	
Wang JJ et al. [Randomized controlled study on influence of acupuncture for life quality of patients with chronic fatigue syndrome]. Zhongguo Zhenjiu 2009a; 29: 780-4. Wang JJ et al. [Randomized controlled clinical trials of acupuncture treatment of chronic fatigue syndrome]. [Chinese]. Chen Tzu Yen Chiu Acupuncture Research 2009b; 34: 120-4.	A randomised controlled trial to observe effects of acupuncture on quality of life in 70 patients with chronic fatigue syndrome. Patients were allocated to treatment with 'real' acupuncture or sham acupuncture, three times a week. Individuals' own perception of their health condition and total score were significantly improved after treatment in the observation group (all P<0.05). There were no adverse effects reported. The researchers concluded that acupuncture can improve the quality of life of patients with chronic fatigue syndrome. In the same trial, the researcher observed the effects of acupuncture on the amount of fatigue experienced by the patients. After the treatments, this had decreased significantly from baseline in both groups. Real acupuncture resulted in a greater reduction in mental fatigue than sham acupuncture, but the change in physical fatigue was similar in the two groups. The researchers concluded that acupuncture can relieve physical and mental fatigue in patients with chronic fatigue syndrome.
Yiu YM et al. A clinical trial of acupuncture for treating chronic fatigue syndrome in Hong Kong. <i>Journal of Chinese Integrative Medicine</i> 2007; 5(6): 630-3.	A randomised controlled trial to evaluate the efficacy of acupuncture in 99 patients with chronic fatigue syndrome. Patients were allocated to 'real' or sham acupuncture. Improvements in physical and mental fatigue and quality of life were seen in both groups, but the improvements in the treatment group were significantly bigger than in the control group (p<0.01 to <0.05). No adverse events occurred. The researchers concluded that acupuncture is a safe, effective treatment for chronic fatigue syndrome.
Li Y et al. The therapeutic effects of electrical acup uncture and auricular-plaster in 32 cases of chronic fatigue syndrome. <i>Journal of Traditional Chinese Medicine</i> 2006; 26(3): 163-4.	A randomised controlled trial to compare the therapeutic effects of electroacupuncture and auricular-plaster therapy against oral hydrocortisone in 64 patients with chronic fatigue syndrome (CFS). The total effective rates were 93.75% in the acupuncture group and 75.00% in the control group, with a statistically significant difference between the two groups (P<0.05). The researchers concluded that electroacupuncture and auricular-plaster therapy may show a better anti-fatigue effect than that of hydrocortisone.
Huang Y et al. Clinical observation on the effects of Bo's abdominal acupuncture in 40 cases of chronic fatigue syndrome. <i>Journal of Traditional Chinese Medicine</i> 2008; 28(4): 264-6.	An observational study on the effect of acupuncture in 40 patients with chronic fatigue syndrome. Treatment was given once a day for 2 weeks, and scores for symptoms and fatigue were compared before and after treatment. After treatment, scores for symptoms, mental condition and neural feeling associated with fatigue were significantly reduced (P<0.01-0.05). The researchers concluded that acupuncture has a good general effect on the complex symptoms of chronic fatigue syndrome, especially on lassitude, anorexia, insomnia

	amnesia, diarrhoea, and general pain.
Guo J. Chronic fatigue syndrome treated by acupuncture and moxibustion in combination with psychological approaches in 310 cases. <i>Journal of Traditional Chinese Medicine</i> 2007; 27(2): 92-5.	An observational study on the clinical therapeutic effect of acupuncture and moxibustion combined with a psychological approach on chronic fatigue syndrome in 310 patients. In all, 275 patients (88.7%) were clinically cured, 28 cases (9%) improved, and 7 cases (2.3%) did not get better. The researchers concluded that acupuncture plus moxibustion combined with a psychological approach is an effective therapy for chronic fatigue syndrome.
Physiology studies (animals and humans)	
Cheng CH et al. Endogenous Opiates in the Nucleus Tractus Solitarius Mediate Electroacupuncture-induced Sleep Activities in Rats. Evid Based Complement Alternat Med 2009 Sep 3. [Epub ahead of print]	Animal study investigating the involvement of the NTS opioidergic system in electroacupuncture-induced alterations in sleep, the findings of which suggested that mechanisms of sleep enhancement may be mediated, in part, by cholinergic activation, stimulation of the opiodergic neurons to increase the concentrations of beta-endorphin and the involvement of the µ-opioid receptors.
Komori M et al. Microcirculatory responses to acupuncture stimulation and phototherapy. <i>Anesth Analg</i> 2009; 108(2): 635-40.	Experimental study on rabbits, in which acupuncture stimulation was directly observed to increase diameter and blood flow velocity of peripheral arterioles, enhancing local microcirculation.
Zhao ZQ. Neural mechanism underlying acupuncture analgesia. <i>Prog Neurobiol</i> 2008; 85(4): 355-75.	Review article that discusses the various peripheral and central nervous system components of acupuncture anaesthesia in detail.
Kavoussi B, Ross BE. The neuroimmune basis of anti-inflammatory acupuncture. <i>Integr Cancer Ther</i> 2007; 6(3): 251-7.	Review article that suggests the anti-inflammatory actions of traditional and electro-acupuncture are mediated by efferent vagus nerve activation and inflammatory macrophage deactivation.
Spence et al. Acupuncture increases nocturnal melatonin secretion and reduces ilnsomnia and anxiety: a preliminary report. <i>J Neuropsych Clin Neurosciences</i> 2004; 16: 19-28.	Study in 18 anxious adults with insomnia that found a significant ($p = 0.002$) nocturnal increase in endogenous melatonin secretion after 5 weeks of acupuncture, as well as significant improvements in polysomnographic measures of sleep onset latency ($p = 0.003$), arousal index ($p = 0.001$), total sleep time ($p = 0.001$), and sleep efficiency ($p = 0.002$).
Zijlstra FJ et al. Anti- inflammatory actions of acupuncture. <i>Mediators</i> <i>Inflamm</i> 2003; 12(2): 59-69.	Review article that suggests a hypothesis for anti- inflammatory action of acupuncture: Insertion of acupuncture needles initially stimulates production of beta-endorphins, CGRP and substance P, leading to further stimulation of cytokines and NO. While high levels of CGRP have been shown to be pro-inflammatory, CGRP in low concentrations exerts potent anti-inflammatory actions. Therefore, a frequently applied 'low-dose' treatment of acupuncture could provoke a sustained release of

Wu MT et al. Central nervous pathway for acupuncture stimulation: localization of processing with functional MR imaging of the brain-preliminary experience. Radiology 1999; 212: 133-

Pomeranz B. Scientific basis of acupuncture. In: Stux G, Pomeranz B, eds. Acupuncture Textbook and Atlas. Heidelberg: Springer-Verlag; 1987: 1-18.

41.

Needle activation of A delta and C afferent nerve fibres in muscle sends signals to the spinal cord, where dynorphin and enkephalins are released. Afferent pathways continue to the the midbrain, triggering excitatory and inhibitory mediators in spinal cord. Ensuing release of serotonin and norepinephrine onto the spinal cord leads to pain transmission being inhibited both pre- and postsynaptically in the spinothalamic tract. Finally, these signals reach the hypothalamus and pituitary, triggering release of adrenocorticotropic hormones and beta-endorphin.

CGRP with anti-inflammatory activity, without

Terms and conditions

The use of this fact sheet is for the use of British Acupuncture Council members and is subject to the strict conditions imposed by the British Acupuncture Council details of which can be found in the members area of its' website www.acupuncture.org.uk.